NOAA

National Weather Service

National Centers for Environmental Prediction (NCEP)

Environmental Modeling Center (EMC)



Real-Time Ocean Forecast System (Atlantic)

Data / Product Submission Agreement

Version 1.0 August 2007

Table of Contents Product / Data Submission A

| Pr | Product / Data Submission Agreement | | | | |
|----|-------------------------------------|--|--|--|--|
| | Dataset Identification Information: | | | | |
| | Technical Contact: | | | | |
| | Designated Community: | | | | |
| | Metadata Contact: | | | | |
| | Data Submission Sessions: | | | | |
| | Submission Information Packages: | | | | |
| | Quality Information: | | | | |
| | Data/Product Lineage: | | | | |
| | Search Interfaces | | | | |
| | Distribution Information | | | | |
| | Performance | | | | |

Product / Data Submission Agreement

Dataset Identification Information:

Dataset Title: RTOFS(Atlantic) Nowcast and Forecasts

Originator: NOAA/NWS/NCEP/EMC/MMAB (Marine Modeling and Analysis Branch)

Dataset Description:

Technical Contact:

Address Type: Address:

The purpose of the NOAA Real-Time Forecast System (Atlantic) is to generate daily nowcasts (*i.e.* analysis) and forecasts at 24 hour intervals out to 120 hours of ocean properties for the Atlantic Ocean including all of the coastal regions of the United States East and Gulf Coasts. The development of RTOFS(Atlantic) was started due to a growing demand for high-resolution basin-wide ocean information as well as improved surface forecasts in coastal areas. RTOFS(Atlantic) demand was recognized by the U.S. National Research Council which recommended that the nation establish an ``operational capability for nowcasting and forecasting currents, water temperatures and related fields to support coastal and offshore operations and management" (National Research Council, 1989). Development of RTOFS(Atlantic) for the Atlantic, Caribbean and the Gulf of Mexico began in 2004.

Technical Contact Organization: NOAA/NWS/NCEP/EMC (Environmental Modeling Center) Dr. Avichal Mehra Technical Contact Person: **Technical Contact Position: Physical Scientist Technical Contact Address** Physical and Mailing Address Type: Address: 5200 Auth Road Camp Springs City: State or Province: MD Postal Code: 20746-4304 Country: USA Technical Contact Voice Telephone: 301-763-8000 ext 7208 Technical Contact TDD/TTY Telephone: Technical Contact Facsimile Telephone: Technical Contact E-Mail Address: Avichal.Mehra@noaa.gov Designated Community: Des. Community Description: Des. Community Requirements: Des. Community Contact Organization: Des. Community Contact Person: Des. Community Contact Position: Des. Community Contact Address

| City: | | |
|---------------------------------|-----------------|---|
| State or Province: | | |
| Postal Code: | | |
| Country: | | |
| Des. Community Contact V | oice Telephone: | |
| Des. Community Contact T | DD/TTY Tele- | |
| phone: | | |
| Des. Community Contact Faphone: | acsimile Tele- | |
| Des. Community Contact E- | -Mail Address: | |
| Des. Community Contact Pe | erson: | |
| Metadata Contact: | | |
| Metadata Contact Organizat | ion: | NOAA/NESDIS/NODC/NCDDC (National Coastal |
| _ | | Data Development Center) |
| Metadata Contact Person: | | Dr. Scott Cross |
| Metadata Contact Position: | | Oceanographer |
| Metadata Contact Address | | |
| Address Type: | | Physical and Mailing |
| Address: | | 219 Ft. Johnson Rd. |
| City: | | Charleston |
| State or Province: | | SC |
| Postal Code: | | 29412 |
| Country: | | USA |
| Metadata Contact Voice Tel | • | 843-762-8567 |
| Metadata Contact TDD/TTY | <u>-</u> | |
| Metadata Contact Facsimile | | |
| Metadata Contact E-Mail A | ddress: | scott.cross@noaa.gov |
| Data Submission Session | ons: | |
| Transfer Protocol: URL: | Secure FTP | |
| Login / password: | | |
| Transfer Initiation Action: | | |
| Acknowledgment | | |
| Protocol: | | |
| Duplicate File Action: | | |
| Submission Schedule: | | |
| Data Volume Schedule: | | |
| Error Condition(s): | Data corruption | during transmission or loss of connection |
| Error Action(s): Retransmission | | |

Submission Information Packages:

File-naming Convention: Curvilinear Coordinate Grid

 $ofs_atl.t00z.[lnnn].[3d.].grb$

where

• 1 - one of the following

n - nowcast surface fields only.

N - nowcast full volume fields.

f - forecast surface fields only.

F - forecast full volume fields.

- nnn the forecast hour. For nowcast, these numbers start at 23 and go forward to 000.
- 3d. if present then the grib file contains all the output parameters and on the native grid. If not present, the files contain a reduced set of output parameters and, if full-volume (i.e. 'N' or 'F') fields, the data have been interpolated in the vertical dimension onto a set of standard depths. See below for details.

A note for future expansion:

The file naming convention refers to the Atlantic basin via "_atl_ in the file name (e.g. ofs_atl_t00z...). Subsequent model expansion to incorporate other oceanic basins will use additional basin codes (for example "pac" for Pacific or "ind" for Indian Ocean).

File Formats: GRIB

Expected File Size: Curvilinear coordinate grid files: 16.4 GB total per cycle for daily

volumetric files, 124 MB total per cycle for hourly surface files

Quality Information:

- The model uses curvilinear coordinates in the horizontal and hybrid coordinates in the vertical.
- The orthogonal grid with 1/12 degree horizontal resolution is defined with 1200 x 1684 points (see Figure 1).




Figure 1: Orthogonal Curvilinear Coordinate Grid

- The model is defined on 26 vertical coordinates (21 isopycnal, 5 z-level). However, prior to June 06, 2007 the GRIB data contained in the archive has been interpolated to 40 fixed depths (meters): 0, 3, 6, 10, 20, 30, 50, 75, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1750, 2000, 2500, 3000, 3500, 4000, 4500, 5000, 5500, 6000.
- RTOFS produces many GRIB files. Surface fields are produced every hour and volume fields are produced every 24 hours. A 24 hour nowcast, or analysis, is run and is followed by a 120 hour forecast.

Examples of file types and their naming conventions:

ofs atl.t00z.F024.grb 24 hour forecast, full volume at Z-levels

ofs_atl.t00z.F024.3d.grb 24 hour forecast, full volume at native levels

ofs_atl.t00z.f001.grb 1 hour forecast, surface only, partial set

Contents of the GRIB files (or fields within):

ofs atl.t00z.F024.grb

Geometric vertical velocity [m/s] - 40 Z-levels

Sea Surface Height Relative to Geoid [m]

Mixed layer depth [m]

u of current [m/s] - 40 Z-levels

v of current [m/s] - 40 Z-levels

Temperature [C] - 40 Z-levels

Salinity [psu] - 40 Z-levels

Longitude of U wind component of velocity [deg]

Latitude of U wind component of velocity [deg]

Longitude of V wind component of velocity [deg]

Latitude of V wind component of velocity [deg]

Longitude of pressure point [deg]

Latitude of pressure point [deg]

ofs atl.t00z.F024.3d.grb

Evaporation - Precipitation [cm/day]

Latent heat flux [W/m^2]

Sensible heat flux [W/m^2]

Sea Surface Height Relative to Geoid [m]

Montgomery stream function [m²/s²]

U Velocity in mixed layer [m/s]

V Velocity in mixed layer [m/s]

Mixed layer depth [m]

Temperature [C]

Salinity [psu]

Ocean Mixed Layer Potential Density (Referenced to 2000m) [kg/m³]

Barotropic U Velocity [m/s]

Barotropic V Velocity [m/s]

u of current [m/s] - native levels

v of current [m/s] - native levels

Layer Thickness[m] - native levels

Temperature [C] - native levels

Salinity [psu] - native levels
Density [kg/m^3] - native levels
Longitude of U wind component of velocity [deg]
Latitude of U wind component of velocity [deg]
Longitude of V wind component of velocity [deg]
Latitude of V wind component of velocity [deg]
Longitude of pressure point [deg]
Latitude of pressure point [deg]

ofs atl.t00z.f001.grb

Sea Surface Height Relative to Geoid [m] Montgomery stream function [m^2/s^2] Mixed layer depth [m] Barotropic U Velocity [m/s] Barotropic V Velocity [m/s]

u of current [m/s]

v of current [m/s] Temperature [C]

Calinity [nav]

Salinity [psu]

Longitude of U wind component of velocity [deg]

Latitude of U wind component of velocity [deg]

Longitude of V wind component of velocity [deg]

Latitude of V wind component of velocity [deg]

Longitude of pressure point [deg]

Latitude of pressure point [deg]

Data/Product Lineage:

| Process Description | |
|--------------------------------------|--|
| Process Date | |
| Process Time | |
| Process Contact Organization: | |
| Process Contact Person: | |
| Process Contact Position: | |
| Process Contact Address | |
| Address Type: | |
| Address: | |
| City: | |
| State or Province: | |
| Postal Code: | |
| Country: | |
| Process Contact Voice Telephone: | |
| Process Contact TDD/TTY Telephone: | |
| Process Contact Facsimile Telephone: | |
| Process Contact E-Mail Address: | |

| Search Interfaces | |
|---|---|
| Search Interface Improvement | |
| Evaluation Date | |
| Evaluation Result | |
| Implementation Date (if required) | |
| Search Technical Contact Organization: | |
| Search Technical Contact Person: | |
| Search Technical Contact Position: | |
| Search Technical Contact Address | |
| Address Type: | |
| Address: | |
| City: | |
| State or Province: | |
| Postal Code: | |
| Country: | |
| Search Technical Contact Voice Telephone: | |
| Search Technical Contact TDD/TTY Telephone: | |
| Search Technical Contact Facsimile Telephone: | |
| Search Technical Contact E-Mail Address: | |
| Distribution Information | |
| Distribution Mechanism Improvement | |
| Evaluation Date | |
| Evaluation Result | _ |
| Implementation Date (if required) | |
| Performance | |
| SIP identified as ready at Producer <> SIP | |
| transferred to Archive | |
| SIP ingested to Archive \Leftrightarrow AIP created | |